

ARCHER FULLY FORMULATED CONCENTRATE COOLANT/ANTIFREEZE



Archer Fully Formulated Coolant/Antifreeze is designed to meet the requirements for heavy duty applications that require low-silicate formulas such as trucks, heavy equipment, and most farm tractors. Archer Fully Formulated Coolant/Antifreeze is pre-charged with high-quality SCAs (Supplemental Coolant Additives).

Archer Fully Formulated Coolant/Antifreeze is a universal formula antifreeze, having the advantages of low total dissolved solids, low silicate, and additives to provide enhanced wet sleeve liner cavitation protection. Since Archer Fully Formulated Coolant/Antifreeze has high-quality SCAs incorporated into the formulation, there is no need to add SCAs at initial fill or when topping off to compensate for SCA dilution.

FEATURES & BENEFITS

- No additional SCAs required at initial fill or top-off
- Contains additives for superior wet sleeve liner cavitation protection
- Low silicate, low total dissolved solids
- Phosphate-free formula that reduces the risk of scale
- State-of-the-art corrosion inhibitors
- Use at top-off to maintain correct SCA levels

TYPICAL SPECIFICATION DATA

ARCHER FULLY FORMULATED CONCENTRATE COOLANT/ANTIFREEZE	
Specific Gravity @ 60°F	1.12
Freezing Point, 50% vol (°F)	-34
Boiling Point (°F)	327
Boiling Point, 50% vol (°F)	226
pH, 50% vol	10.2-10.8
Chloride (ppm)	25 max
Reserve Alkalinity	5 min
Ash (% wt)	1.0

Meets or Exceeds:

- ASTM D3306
- ASTM D6210
- CAT DEAC/ NGEC
- Chrysler MS-7170
- Cummins CES 14603
- Detroit Diesel 7SE298
- Ford ESE-M97B44-A
- Freightliner 48-22680
- GM 1825M
- GM 1899M
- John Deere JDM H24A
- John Deere JDM H24B, C
- Low Silicate
- Mack GS17004
- MTU 5048
- Navistar CEMS B-1 Type II
- Perkins (CAT)
- TMC RP 329
- Volvo -GM Heavy Truck

ARCHER FULLY FORMULATED CONCENTRATE ANTIFREEZE			
Package Size	Item Number	Package Size	Item Number
6 x 1 Gal	191624	265 Gal.	191621
30 Gal.	191622	330 Gal.	191626
55 Gal.	191623		