ARCHER ARPECO EXTRA LIFE 15W-40 HEAVY DUTY DIESEL ENGINE OIL



Archer Arpeco Extra Life SAE 15W-40 heavy-duty diesel engine oil is formulated with high-quality base oil and a high-performing additive package, providing excellent detergency, oxidation stability, rust and corrosion prevention, and foam suppression. It also features excellent dispersancy necessary to manage higher soot levels and offers enhanced protection for exhaust after-treatment devices, including diesel particulate filters (DPFs) and diesel oxidation catalysts (DOCs).

Always check your owner's manual for the proper SAE grade, API classification, and oil change intervals.

FEATURES & BENEFITS

- Excellent detergency and dispersancy for enhanced engine cleanliness
- Exceptional anti-wear and oxidation stability
- Excellent corrosion protection for improved engine cleanliness and longer engine life
- Stay-in-grade shear stability offers maintained viscosity, even in high-temperature operations
- Helps reduce wear caused by friction
- Protects against deposits and formation of sludge
- Easier starting at low temperatures
- Superior rust protection

TYPICAL SPECIFICATION DATA

ADOUGH ADDEGO EVERA LIFE AGM AS			
ARCHER ARPECO EXTRA LIFE 15W-40			
SAE GRADE	15W-40		
Viscosity @ 100°C (cSt)	15.5		
Viscosity @ 40°C (cSt)	116.5		
Viscosity Index	140		
Density (lb/gal)	7.25		
CCS Viscosity (cP)	5,500		
Pour Point (°C)	-36		
Pour Point (°F)	-33		
Flash Point (°C)	233		
Flash Point (°F)	451		
TBN	11.0		
Sulfated Ash (wt%)	1.0		

Meets or Exceeds:

- API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4
- API SN, SM, SL, SJ
- ACEA E9, E7
- Caterpillar ECF-3, ECF-2, DEO-ULS, DEO
- Cummins CES 20086, CES 20081
- Daimler MB 228.31
- Detroit Diesel DFS 93K222, DFS 93K218
- Ford WSS M2C171-F1
- Mack EOS-4.5, EO-O Premium Plus, EO-N
- MAN M3575
- MTU Category 2.1
- Renault RLD-4, RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3



ARCHER ARPECO EXTRA LIFE 15W-40			
Package Size	Item Number	Package Size	Item Number
12 x 1 Qt.	191045	55 Gal.	191049
6 x 1 Gal.	192380	265 Gal.	192209
2 x 2.5 Gal.	191046	330 Gal.	192210
5 Gal.	191048	Bulk	192379
30 Gal.	191047	2.5	,